



SAFETY DATA SHEET

Issuing Date: 06-03-2015

Revision Date: 05-08-2015

Version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1.

Product identifier

Product Code(s): 12102700-M
Product Code(s) (ES): 102700
Product Name STA-PUT G 68 S
Product Registration number
Denmark -
Norway -
Sweden -

EC #

Pure substance/preparation

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Industrial Slideway Oil

Uses advised against Any other purpose.

1.3. Details of the supplier of the safety data sheet

Manufacturer, Importer, Supplier

Houghton plc
Beacon Road
Trafford Park
Manchester
M17 1AF
Tel: +44 (0)161 874 5000
E-mail: MSDS@uk.houghtonglobal.com

Houghton S.A.S.
604 Bd Albert Camus,
BP 60041
69652 Villefranche sur saone
France
Tel: (0) 4 74 65 65 00
Fax: (0) 4 74 60 08 44

Houghton Iberica S.A.
Pol. Ind. Can Salvatella-TorreMateu
08210 Barbera del Valles
Barcelona
SPAIN
Tel: +(34 93) 718 85 00
Fax: +(34 93) 718 93 00
msds.es@houghtonintl.com

Houghton Deutschland GmbH
Giselherstr. 57. D-44319.
Dortmund
Deutschland
Tel: +49 (0) 231/9277-0.
Fax: +49 (0)231/9277-120
MSDS@houghtonintl.com

Ragione Sociale: Houghton Italia S.p.A.
Indirizzo: Via Postiglione, 30
10024 Moncalieri (TO)
ITALY
Telefono: (+39) 011 6475811.
Fax: (+39) 0116472778.
ITTN-MSDS@houghtonintl.com

Houghton Benelux
Meerpaal 12 A. NL - 4904.SK Oosterhout.
Telefoon: +31 162458400
Fax: +31 162 458205
Email: Marielle.Goossens@houghtonintl.com

Oel-Scheu Houghton Vertriebspartner GmbH
Hubstrasse 33
9500 Wil
Switzerland
Telefon: 071 911 47 47
Telefax: 071 911 18 37

Houghton Polska SP z.o.o
UlKapelanka 17
30-347 Krakow
Poland
+48 122665240
info@houghton.com.pl

HOUGHTON EUROPE N.V Sivuliike Suomessa
Lautamiehentie 3
02770 ESPOO
Puh. 00-8596 395
Fax. 09-8596 396
LY: 1957249-8
E-mail: info@houghton.fi

Houghton Danmark A/S
Energivej 3
DK-4180 Sorø
Danmark
Tel: +45 45 85 23 00
E-mail: houghton@houghton.dk

Mento AS
Kontinentalveien
Postboks 44
4098 Tananger
Norway
Tel: +47 51 64 86 00
www.Mento.no

Houghton Sverige AB
La Cours Gata 4
252 31 Helsingborg
Sverige
Tel: +46 42 29 55 10
E-mail: info.se@houghtonintl.com

Houghton CZ s.r.o.
Bartošova 3
602 00 Brno
Czech Republic
Phone: +420 542 213 332
office@houghton.cz

Houghton Romania
2A, Jiului Street
4th Floor / Room 2
013219 Bucharest
Phone: +40 21 667 06 15
Fax: +40 21 667 09 70

Houghton Ukraine Ltd
Ukraine, Kiev 04213
13, Prirechnaya St.
Phone: +38 (044) 360-10-24
Fax: +38 (044) 426-27-76

Houghton Kimya San. A.Ş
Kosuyolu Mah
Asma Dall Sok
No: 1434718 Kadıköy
İstanbul
Türkiye
Phone Number: +90 216 325 15 15

1.4. Emergency telephone number

3E Company: (+)1 760 476 3961 (Code 333938)

| | |
|-----------------------|--|
| Austria | Notfall-Telefonnummer +43 (0) 1 406 4343 |
| Bulgaria | Телефон за спешни случаи +359 2 9154 409 |
| Switzerland | 145; +41 (0) 44 254 51 51 |
| Czech Republic | Telefonní číslo pro naléhavé situace +420 224 919 293 |
| Denmark | Ring til Giftlinjen på +45 82 12 12 12 |
| Finland | Hätäpuhelinumero +358 09 471 977 |
| France | Numéro d'appel d'urgence +33 (0)1 45 42 5959 |
| Hungary | Díjmentesen hívható zöld szám +36 80 20 11 99 |
| Ireland | Emergency telephone number +353 01 809 2166 |
| Netherlands | Telefoonnummer voor +31 30 274 88 88 |
| Norway | Nødnummer +47 22 59 13 00 |
| Poland | 112 |
| Portugal | Número de telefone de emergência +351 808 250 143 |
| Romania | Număr de telefon care poate fi apelat în caz de urgență +021 318 36 06 (08:00-15:00) |
| Spain | Número de teléfono de emergencia +34 91 562 0420 |
| Sweden | Telefonnummer för nödsituationer +46 08 33 12 31 (09:00-17:00) |
| Turkey | (+)1 760 476 3959 (Code 333938) |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

2.2. Label Elements

EUH210 - Safety data sheet available on request.

2.3. Other hazards

No information available.

- 0.903 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 0.903 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 1.3515 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 1.3515 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 1.3515 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

SECTION 3: Composition/information on ingredients

3.1. Substances / 3.2. Mixtures

This product is a mixture. Health hazard information is based on its ingredients

| Chemical Name | EC-No | CAS-No | Weight % | Classification (Reg. 1272/2008) | REACH Registration Number |
|--|-----------|----------|------------|--|---|
| Highly refined base oil (Viscosity >20.5 cSt @40°C) | - | - | 50% - 100% | ** | - |
| 2,6-Di-tert-butyl-p-cresol | 204-881-4 | 128-37-0 | 0% - 1% | Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) | 01-2119565113-46-xxx x 01-2119480433-40-xxx x 01-2119555270-46-xxx x |

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346 See Section 15 for additional information on base oils.

** Substances for which there are Community workplace exposure limits

Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first-aid measures

| | |
|-----------------------------------|---|
| General advice | If symptoms persist, call a physician. |
| Inhalation | Move to fresh air. |
| Skin contact | Wash off immediately with soap and plenty of water. Remove and wash contaminated clothing before re-use. |
| Eye contact | Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while rinsing. |
| Ingestion | Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting without medical advice. |
| Protection of First-aiders | Use personal protective equipment. |

4.2. Most important symptoms and effects, both acute and delayed

Main Symptoms None

4.3. Indication of immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment:, Use CO2, dry chemical, or foam, Water spray or fog, Cool containers / tanks with water spray

Extinguishing media which shall not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special Hazard

In the event of fire and/or explosion do not breathe fumes. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Thermal decomposition can lead to release of irritating gases and vapors. This material creates a fire hazard because it floats on water.

Hazardous Decomposition Products

Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Ensure adequate ventilation.

Advice for non-emergency personnel

Material can create slippery conditions.

Advice for emergency responders For personal protection see section 8.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

6.3. Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Dike to collect large liquid spills.

6.4. Reference to other sections

See Section 8/12/13 for additional information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Keep away from open flames, hot surfaces and sources of ignition.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep away from open flames, hot surfaces and sources of ignition. Keep container tightly closed in a dry and well-ventilated place. Keep at temperatures between 5 and 40 °C.

Recommended Shelf Life

Shelf life 24 months.

Incompatible Materials

Strong oxidizing agents, Strong acids, Strong bases

7.3. Specific end uses

Specific use(s) Industrial Slideway Oil

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

| Chemical Name | European Union | United Kingdom | France | Spain |
|--|----------------|---|---------------------------|---|
| Highly refined base oil (Viscosity >20.5 cSt @40°C) | | | | VLA-EC: 10 mg/m ³ VLA-ED: 5 mg/m ³ |
| 2,6-Di-tert-butyl-p-cresol | | STEL: 30 mg/m ³ TWA: 10 mg/m ³ | VME: 10 mg/m ³ | |

| Chemical Name | Germany | Italy | Portugal | The Netherlands |
|----------------------------|---|-------|--------------------------|-----------------|
| 2,6-Di-tert-butyl-p-cresol | MAK: 20 mg/m ³ Ceiling / Peak: 40 mg/m ³ Skin | | TWA: 2 mg/m ³ | |

| Chemical Name | Austria | Switzerland | Poland | Ireland |
|--|---------------------------|---------------------------|--------|--|
| Highly refined base oil (Viscosity >20.5 cSt @40°C) | | | | STEL: 10 mg/m ³ TWA: 5 mg/m ³ (Mist) |
| 2,6-Di-tert-butyl-p-cresol | MAK: 10 mg/m ³ | MAK: 10 mg/m ³ | | TWA: 10 mg/m ³ |

| Chemical Name | Finland | Denmark | Norway | Sweden |
|--|---|-------------------------------------|-------------------------------------|---|
| Highly refined base oil (Viscosity >20.5 cSt @40°C) | TWA: 5mg/m ³ (Öljysumu) | TWA: 1 mg/m ³ (Olietåge) | TWA: 1 mg/m ³ (Oljetåke) | LLV: 1 mg/m ³ STV: 3 mg/m ³ (Oljedimma) |
| 2,6-Di-tert-butyl-p-cresol | TWA: 10 mg/m ³ STEL: 20 mg/m ³ | TWA: 10 mg/m ³ | | |

| Chemical Name | Czech Republic | Hungary | Bulgaria | Romania |
|----------------------------|----------------|---------|---|---------|
| 2,6-Di-tert-butyl-p-cresol | | | STEL: 50.0 mg/m ³ TWA: 10.0 mg/m ³ | |

Workers Systemic toxicity

| Chemical Name | Long term - Oral exposure | Long term - Dermal exposure | Long term - Inhalation exposure | Short term - Oral Exposure | Short term - Dermal exposure | Short term - Inhalation exposure |
|----------------------------|---------------------------|-----------------------------|---------------------------------|----------------------------|------------------------------|----------------------------------|
| 2,6-Di-tert-butyl-p-cresol | | 8.3 mg/kg | 5.8 mg/m ³ | | | |

Workers Local effects**Consumers Systemic toxicity**

| Chemical Name | Long term - Oral | Long term - | Long term - | Short term - Oral | Short term - | Short term - |
|---------------|------------------|-------------|-------------|-------------------|--------------|--------------|
| | | | | | | |

| | exposure | Dermal exposure | Inhalation exposure | Exposure | Dermal exposure | Inhalation exposure |
|----------------------------|----------|-----------------|------------------------|----------|-----------------|---------------------|
| 2,6-Di-tert-butyl-p-cresol | | 5 mg/kg | 1.74 mg/m ³ | | | |

Consumers Local effects**Predicted No Effect Concentration (PNEC)**

| Chemical Name | Fresh water | Sea water | Fresh water sediment | Sea sediment | Soil |
|----------------------------|-------------|-------------|----------------------|--------------|------------|
| 2,6-Di-tert-butyl-p-cresol | 1.29 mg/kg | 0.0004 mg/L | 1.29 mg/kg | | 1.04 mg/kg |

8.2. Exposure controls**Engineering Measures**

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment**Eye Protection**

Safety glasses with side-shields.

Hand Protection

Protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. Barrier creams may help to protect the exposed areas of skin, they should however not be applied once exposure has occurred.

Skin and body protection

Long sleeved clothing.

Respiratory protection

No special protective equipment required. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hygiene measures

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls

No special environmental precautions required.

Thermal hazards

None under normal use conditions

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | | | |
|---|-------------------------------------|-----------------------|----------------|
| Physical state @20°C | liquid | Appearance | clear , brown |
| Odor | mineral oil | Odor Threshold | Not Applicable |
| <u>Property</u> | <u>Values</u> | <u>Note</u> | |
| pH | No information available | | |
| Melting Point / Freezing Point | >= -10 °C / >= 14 °F | | |
| Boiling point/boiling range | > 250 °C / > 482 °F | | |
| Flash point | > 225 °C / > 437 °F | ASTM D 92 | |
| Evaporation rate | negligible No information available | | |
| Flammability (solid, gas) | No information available | | |
| Flammability Limits in Air | | | |
| upper flammability limit | No information available. | | |
| Lower flammability limit | No information available. | | |
| Vapor pressure | No information available. | | |
| Vapor density | No information available. | | |
| Relative density | 0.8800 | @ 15.5°C | |
| Solubility(ies) | Insoluble in water | | |
| Partition coefficient: n-octanol/water | Not Applicable | | |
| Autoignition temperature | No information available | | |
| Decomposition temperature | No information available | | |
| Viscosity, kinematic | 68 cSt @ 40 °C | ASTM D 445 | |
| Explosive properties | Not Applicable | | |
| Oxidizing Properties | Not Applicable | | |

9.2 Other information

| | | |
|------------------------------|--------------------------|------------|
| Viscosity, kinematic (100°C) | 8.7 cSt @ 100°C | ASTM D 445 |
| Pour point | -15 °C / 5 °F | ASTM D 97 |
| VOC Content | No information available | |

SECTION 10: Stability and reactivity**10.1. Reactivity**

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal use conditions

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition

10.5. Incompatible Materials

Strong oxidizing agents, Strong acids, Strong bases

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Product Information - Principle Routes of Exposure**

| | |
|--------------|------------|
| Inhalation | None known |
| Eye contact | None known |
| Skin contact | None known |
| Ingestion | None known |

Acute toxicity - Product Information

Product does not present an acute toxicity hazard based on known information.

Acute toxicity - Component Information

| Chemical Name | LD50 Oral (Rat) | LD50 Dermal (Rat/Rabbit) | LC50 Inhalation |
|---|--------------------|--------------------------|-----------------|
| Highly refined base oil (Viscosity >20.5 cSt @40°C) | >2000 mg/kg | >2000 mg/kg | |
| 2,6-Di-tert-butyl-p-cresol | 5000 mg/kg (Rat) | 5000 mg/kg (Rabbit) | |

Skin corrosion/irritation None known.

| | |
|--|-------------|
| Serious eye damage/eye irritation | None known. |
| Sensitization | |
| Respiratory Sensitization | None known. |
| Skin sensitization | None known. |
| Germ Cell Mutagenicity | None known. |
| Carcinogenicity | None known. |
| Reproductive toxicity | None known. |
| Specific target organ systemic toxicity (single exposure) | None known |
| Specific target organ systemic toxicity (repeated exposure) | None known. |
| Aspiration hazard | None known. |

SECTION 12: Ecological information

12.1. Toxicity

No special environmental measures are necessary.

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to microorganisms | Toxicity to daphnia and other aquatic invertebrates |
|----------------------------|---|-----------------------------------|----------------------------|---|
| 2,6-Di-tert-butyl-p-cresol | 6: 72 h Pseudokirchneriella subcapitata mg/L EC50 0.42: 72 h Desmodesmus subspicatus mg/L EC50 | 5: 48 h Oryzias latipes mg/L LC50 | | |

12.2. Persistence and degradability

The product is not readily biodegradable, but it can be degraded by micro-organisms, it is regarded as being inherently biodegradable.

12.3. Bioaccumulative potential

No information available

| Chemical Name | log Pow |
|----------------------------|---------|
| 2,6-Di-tert-butyl-p-cresol | 4.17 |

12.4. Mobility in soil

The product is insoluble and floats on water.

12.5. Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods**Waste from Residues / Unused Products**

Dispose of in accordance with local regulations

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Observe all label precautions until container is cleaned, reconditioned or destroyed.

Other Data

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information**14.1. UN-Number**

Not regulated

14.2. UN proper shipping name

Not regulated

14.3. Transport hazard class

Not regulated

14.4. Packing group

Not regulated

14.5. Environmental Hazards

None.

14.6. Special precautions for users

None.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

IMDG/IMO

Not regulated

ADR/RID

Not regulated

ICAO/IATA

Not regulated

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008)
 Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

Statutory Instruments: Control of Substances Hazardous to Health Regulations 2002. Chemicals (Hazard Information and Packaging) Regulations 2009.

Acts of Parliament: The Health and Safety at Work etc. Act 1974. Environment Protection Act 1990.

Regulation on classification, labeling, of hazardous chemicals (2002 changing 2005).Appendix VI to Regulation on classification,

labeling etc. of hazardous chemicals (2002 changing 2010), list of hazardous substances (as amended). Guidelines for submission and declaration of hazardous waste (2009). Transport of dangerous goods: ADR, RID, IMDG and IATA. Administrative norms for pollution of the atmosphere, 2009.
Workplace exposure limits (EH40)

WGK Classification

Hazard to water/Class 2

The highly refined base oil (Viscosity >20.5 cSt @40°C) contains one or more substance with the following CAS/EC numbers/REACH registration numbers:

| Chemical Name | CAS-No | EC-No | REACH Registration Number |
|--|-------------|-----------|---------------------------|
| Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated | 101316-72-7 | 309-877-7 | 01-2119489969-06-xxxx |
| Lubricating oils (petroleum), used, noncatalytically refined | 101316-73-8 | 309-878-2 | 02-2119822310-56-xxxx |
| Distillates (petroleum), solvent-refined heavy paraffinic | 64741-88-4 | 265-090-8 | |
| Residual oils (petroleum), solvent-refined | 64742-01-4 | 265-101-6 | 01-2119488707-21-xxxx |
| Extracts (petroleum), residual oil solvent | 64742-10-5 | 265-110-5 | 01-2119488175-30-xxxx |
| Distillates (petroleum), hydrotreated heavy naphthenic | 64742-52-5 | 265-155-0 | 01-2119467170-45-xxxx |
| Distillates (petroleum), hydrotreated light naphthenic | 64742-53-6 | 265-156-6 | |
| Distillates (petroleum), hydrotreated heavy paraffinic | 64742-54-7 | 265-157-1 | 01-2119484627-25-xxxx |
| Residual oils (petroleum), hydrotreated | 64742-57-0 | 265-160-8 | 01-2119489287-22-xxxx |
| Lubricating oils (petroleum), hydrotreated spent | 64742-58-1 | 265-161-3 | |
| Residual oils (petroleum), solvent-dewaxed | 64742-62-7 | 265-166-0 | 01-2119480472-38-xxxx |
| Distillates (petroleum), solvent-dewaxed heavy, paraffinic | 64742-65-0 | 265-169-7 | 01-2119471299-27-xxxx |
| Paraffin oils (petroleum), catalytic dewaxed heavy | 64742-70-7 | 265-174-4 | 01-2119487080-42-xxxx |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | 72623-86-0 | 276-737-9 | 01-2119474878-16-xxxx |
| Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based | 72623-87-1 | 276-738-4 | 01-2119474889-13-xxxx |
| Lubricating oils | 74869-22-0 | 278-012-2 | |
| Paraffin oils | 8012-95-1 | 232-384-2 | |
| White mineral oil (petroleum) | 8042-47-5 | 232-455-8 | 01-2119487078-27-xxxx |

15.2. Chemical Safety Assessment

No information available.

| |
|--------------------------------------|
| SECTION 16: Other information |
|--------------------------------------|

Key or legend to abbreviations and acronyms used in the safety data sheet

Repr.-Reproduction toxicity
 Asp. Tox. - Aspiration Toxicity
 Acute Tox. - Acute Toxicity
 Aquatic Acute - Acute Aquatic Toxicity
 Aquatic Chronic - Chronic Aquatic Toxicity
 Eye Dam. - Eye Damage
 Eye Irrit. - Eye Irritation
 Skin Corr. - Skin Corrosion
 Skin Irrit. - Skin Irritation
 Skin Sens. - Skin Sensitizer
 Resp. Sens. - Respiratory Sensitizer
 STOT SE - Specific target organ systemic toxicity (Single exposure)
 STOT RE - Specific target organ systemic toxicity (repeated exposure)
 VOC - Volatile organic compounds

Full text of H-Statements referred to under sections 2 and 3

| | |
|---|--|
| <ul style="list-style-type: none"> • H224 - Extremely flammable liquid and vapor • H225 - Highly flammable liquid and vapor • H226 - Flammable liquid and vapor • H270 - May cause or intensify fire; oxidizer • H271 - May cause fire or explosion; strong oxidizer • H272 - May intensify fire; oxidizer • H290 - May be corrosive to metals • H300 - Fatal if swallowed • H301 - Toxic if swallowed • H302 - Harmful if swallowed • H304 - May be fatal if swallowed and enters airways • H310 - Fatal in contact with skin • H311 - Toxic in contact with skin • H312 - Harmful in contact with skin • H314 - Causes severe skin burns and eye damage • H315 - Causes skin irritation • H317 - May cause an allergic skin reaction • H318 - Causes serious eye damage • H319 - Causes serious eye irritation • H330 - Fatal if inhaled • H331 - Toxic if inhaled • H332 - Harmful if inhaled • H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled • H335 - May cause respiratory irritation • H336 - May cause drowsiness or dizziness • H340 - May cause genetic defects | <ul style="list-style-type: none"> • H341 - Suspected of causing genetic defects • H350 - May cause cancer • H351 - Suspected of causing cancer • H360 - May damage fertility or the unborn child • H361 - Suspected of damaging fertility or the unborn child • H362 - May cause harm to breast-fed children • H370 - Causes damage to organs • H371 - May cause damage to organs • H372 - Causes damage to organs through prolonged or repeated exposure • H373 - May cause damage to organs through prolonged or repeated exposure • H400 - Very toxic to aquatic life • H410 - Very toxic to aquatic life with long lasting effects • H411 - Toxic to aquatic life with long lasting effects • H412 - Harmful to aquatic life with long lasting effects • H413 - May cause long lasting harmful effects to aquatic life. • H360Df - May damage the unborn child. Suspected of damaging fertility • H360D - May damage the unborn child • H360FD - May damage fertility. May damage the unborn child • H360F - May damage fertility • H361d - Suspected of damaging the unborn child • H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child • H361f - Suspected of damaging fertility • EUH066 - Repeated exposure may cause skin dryness or cracking • EUH210 - Safety data sheet available on request. • EUH208 - May produce an allergic reaction |
|---|--|

Exposure scenario

No information available.

Issuing Date: 06-03-2015

Revision Date: 05-08-2015

Revision Note

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.